




ARCHITECTURAL SHAPES FOR CEILING SPACES

These Shapes will elevate your space with their lightweight and whimsical design, and can be customized to redefine your cloud space.

Our geometric Shapes are one of the most adaptable styles, which works well with traditional and contemporary architectural designs.

Our geometric Shapes are simple to specify and easy to install. Available in 7 standard shapes, 31 standard sizes, and 23 standard color options, you can create the perfect solution for your project.

If you have a specific size or color request, customize it. Use our product selector on our website, or reach out to us with the color or size you are looking for, and we can help you make custom shapes.



SIZES

Length and Height

24 in x 24 in	24 in x 48 in (Rectangle only)	30 in x 30 in
36 in x 36 in	42 in x 42 in	48 in x 48 in
Custom		

Thickness

2 in	Custom
------	--------

All sizes are nominal. Refer to Drawing files for actual sizes.


FEATURES

- Simple to specify and easy to install.
- Made with lightweight panel technology.
- Constructed using eco-friendly materials and processes.
- Class A Fire Rating, ASTM E-84 test and CAN/ULC-102.
- Flexibility in design and customization, such as integrating LED lighting.




Intertek Clean Air GOLD Certified
CDPH 01350 v1.2


Square




Circle




Hexagon




Trapezoid



Left/Right Parallelogram



Rectangle



LAMINATE COLOR OPTIONS

TRADITIONAL



Kensington
Maple
10776-60



Tuscan
Walnut
7921-38



Amber
Cherry
7919-38



Shaker
Cherry
7935-60


PROGRESSIVE




Beigewood
7850-60



Fawn
Cypress
8208K-16



Park Elm
7967K-12



Walnut
Heights
7965-38




Veranda
Teak
8209-28



NeoWalnut
7991-38



Studio Teak
7960-38



Ebony
Recon
7997-38

GRAY



White
Driftwood
8200K-16



5th Ave.
Elm
7966K-12




Portico Teak
8210K-28




Asian Night
7949K-60

SOLID



Designer
White
D354-60



Platinum
D315-60



North Sea
D90-60



Black
1595-60

NEW



Valley
Forge Elm
8231-79



Friston Ash
8229-79

Notes: Colors come in standard HPL laminate finish. Custom colors and finishes are available upon request and may result in a minimal upcharge. Paint-grade finish is also available. If you have a specific laminate in mind that's not in our collection, we can accommodate any commercially available laminate from Wilsonart, Formica, Arborite, Pionite and Nevamar.

PRODUCT SPECIFICATIONS

Name	Altispace Shapes
Content	Laminate material, wood frame, fiberboard, honeycomb door core.
Panel Thicknesses	2 in
Standard Sizes <i>*All sizes are nominal</i>	Sizes: 24 in x 24 in, 30 in x 30 in, 36 in x 36 in, 42 in x 42 in, 48 in x 48 in Rectangle Size: 24 in x 48 in
Durability	Contract/Commercial
Maintenance	Dust and dirt on the panels and suspension hardware can be removed with a vacuum, and wipe off excess dirt or fingerprints by wiping them with a clean, dry and soft cloth. If this does not fully clean the panel, you can use a clean, damp and soft white cloth or sponge with a mild detergent to wipe down the Shapes. Refer to the Cleaning and Maintenance document for more details.
Lead Time	Products are made to order and certain lead times will apply.
Environmental	Altispace Shapes are made using eco-friendly materials and practices. For more information, contact 226-636-5965.
Custom	Custom sizes and colors are available upon request and may result in a minimal upcharge. Further customization (such as LED lighting integration) are also available at an upcharge.
Variation	Colors of laminate finish on screen may vary from actual product.
Acoustics	Test reports available upon request. Refer to the Acoustic Information document for more details.
Fire Rating	Class A Fire Rating, ASTM E-84 test and CAN/ULC-102. Test reports available upon request. Refer to the Fire Rating Information document for more details.

INSTALL

Suspension Options	1) Aircraft cable (Refer to Suspension Hardware Information) 2) Unistrut System (Refer to Suspension Hardware Information)
Ceiling Attachment Options for Suspension Cable	By installation contractor
Installation	Refer to Installation Guide for Shapes.
Unistrut Installation	Refer to Installation Guide for Shapes.

RECYCLED CONTENT

MATERIAL	PRE-CONSUMER	POST CONSUMER	TOTAL
Dorkor	0%	100%	100%
3mm HDF	90%	0%	90%
F/J Pine Frame	0%	0%	0%
High Pressure Laminate	0%	34%	34%

